

Built-in silent pump
without external air compressor

T8 SUPER SOUND OFF DEFOAMING MACHINE

< 50dB Mute defoamer

Safe and efficient intelligent defoaming
Face/curved screen defoaming in one step
Self-contained induction door to activate the lock



predefoaming After defoaming
with T8



Built-in pump



Quiet and
noiseless



Digital display
electronic
pressure regulation



Straight curved
screen
universal



Safety sensing
bin door



Powerful
defoaming
capability

SILENT DEFOAMER

Safe and efficient
intelligent defoaming

< 50dB Mute defoamer

Debubble one key start

Self-contained induction door to
activate the lock



T8 The first choice for defoaming

A good product is impeccable

好产品无可挑剔




Built-in pump



Quiet and noiseless



Digital display electronic
pressure regulation



Straight curved screen
universal



Safety sensing bin door



Powerful defoaming
capability

Appearance level goes hand in hand with quality

Exquisite appearance design, appearance level online,
intelligent and efficient work

Easy and fast, built-in mute pump, work is not noisy,
straight screen, curved screen With frame screen,
you can put it into one button to start defoaming



Digital display adjustment

Intelligent one-click defrosting


Digital display electronic adjustment, debubbling time
Adjust temperature and pressure as needed Accurately control temperature
and pressure Safe and reliable, say goodbye to
the old hand twisting situation



Just for safety

Intelligent sensing bin door

Pull the hatch valve into place by hand and start the air intake only after the hatch door is closed. The door is not closed or is not closed properly. The hand pull is not in place. The digital display is E1. It can not be started, intelligent safety explosion-proof



Note: The door valve will not start to work if it is not in a specific position



Built-in mute pump defoamer

Powerful mute capability

Powerful mute built-in pump defoamer,
volume < 50dB unmatched mute capability
chao strong quiet pump, reliable quality, lasting




Defoaming is quick and easy


Powerful defoaming capability

Pressure adjustment range: 2kg-8kg (0.2MKpa-- 0.8MKpa)

Defrosting is super fast and stressful.



predefoaming




After defoaming
with T8

Not selected models compatible
with 99% of the market mobile phone models

Straight screen/curved screen can be used


Strong compatibility, do not pick the model, face screen/
curvedscreen mobile phone

Can be easily defrosted with one click



T8 product analysis

The design is simple and clear,
and the operation is simple and convenient



Brand:	Model Name:
MAANT	T8 Mute defoamer
Temperature range:	Functional scope:
0~80°C(建议35~50°C)	LCD screen below 8 inches eliminates bubbles
Power rating:	Power supply voltage:
450W	AC220V/AC110Vselectable
Interior dimensions:	Defoaming time:
185*90*40mm	0~999s
Product net weight:	Gross packaging weight:
7.2kg	7.8kg
Product size:	Package size:
265*170*165mm	335*265*25mm

This machine is designed for debubbling with built-in pump, and no external air compressor is required

Note: The above data information is manual measurement, error is normal, the actual subject to the actual.

Product packaging information

Net product weight: 7.2kg

Gross product weight: 7.8kg

Product size: 265*170*165mm

Package size: 335*265*250mm

